

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

MATHEMATICS 0580/13

Paper 1 (Core)

October/November 2016

MARK SCHEME
Maximum Mark: 56

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the October/November 2016 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

® IGCSE is the registered trademark of Cambridge International Examinations.

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



Page 2	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0580	13

Abbreviations

cao correct answer only

dep dependent

FT follow through after error isw ignore subsequent working

oe or equivalent SC Special Case

nfww not from wrong working

soi seen or implied

Question	Answer	Mark	Part marks
1	5 034	1	
2	-3	1	
3	36	1	
4	n^7 final answer	1	
5	947.5, 948.5	2	B1 for either or both correct but reversed
6 (a)	2.47×10^6	1	
(b)	7.9×10^{-3}	1	
7	$0.4^2 \ 0.6^3 \ 0.22 \ \sqrt{0.09}$	2	M1 for decimal conversion 0.216 and 0.3 and 0.16
8	Thursday	2	M1 for 5.4 found or at least two of: 3.8, 3.6 and 4 found
9 (a)	A	1	
(b)	A ruled line joining (65, 23) to (80, 28)	1	
10	$\frac{18}{30}$ and $\frac{5}{30}$ oe must be shown	M1	$\frac{18k}{30k}$ and $\frac{5k}{30k}$
	$\frac{23}{30}$ cao	A1	
11	40	2	M1 for $\frac{x}{16} = \frac{30}{12}$ or $\frac{x}{30} = \frac{16}{12}$ oe
			or 2.5 or 0.4 or 1.33[3] or $\frac{16}{12}$
12 (a)	18.3	1	
(b)	128	1	

Page 3	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0580	13

Question		Answer	Mark	Part marks
13	(a)	172	1	
	(b)	166	2	M1 for an ordered list of at least 5 numbers or B1 for 164 and 168 identified
14	(a)	0.6	1	
	(b)	$\frac{12}{25}$	2	B1 for $\frac{48}{100}$ or equivalent fraction
15	(a)	2644.32	1	
	(b)	133.42	2	M1 for 4200 ÷ 31.48
16	(a) (i)	$\frac{5}{12}$ oe	1	
	(ii)	0	1	
	(b)	[0].65 oe	1	
17		36	3	M2 for $5 \times 3 + 7.5 + 9.5 + 4$ oe
				or M1 for two of 5, 7.5, 9.5 and 4
18	(a)	$\begin{pmatrix} 2 \\ 1 \end{pmatrix}$	1	
	(b)	$\begin{pmatrix} 2 \\ 4 \end{pmatrix}$	1	
	(c)	(6, 10)	1	
19	(a)	30	1	
	(b)	47.5	2	M1 for 4.5×5 oe
20	(a)	68	1	
	(b)	9	2	M1 for $360 \div 40$ oe or $\frac{180(n-2)}{} = 140$ oe

Page 4	Mark Scheme	Syllabus	Paper
	Cambridge IGCSE – October/November 2016	0580	13

•	Question	Answer	Mark	Part marks	
21	(a)	Three correct, ruled lines	2	B1 for two correct lines	
	(b) (i)	Drawing a rectangle or rhombus	1		
	(ii)	FT their quadrilateral in (b)(i)	1		
22	(a)	40.2 or 40.21 to 40.22	2	M1 for $2 \times \pi \times 6.4$ oe	
	(b)	1540 or 1544 or 1544.1 to 1544.4	2	M1 for $\pi \times 6.4^2 \times 12$	
23		[x =] 5 [y =] -2	4	M1 for correctly equating one set of coefficients M1 for correct method to eliminate one variable A1 for $x = 5$ A1 for $y = -2$ If zero scored, SC1 for 2 values satisfying one of the original equations. or SC1 if no working shown, but 2 correct answers given	